

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

1. Identification

1.1. Product identifier

Product Identity Super slip
Alternate Names Generic Class: Base Oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SWT Group
1591 Kildare Road
Windsor, ON, N8W 2W2
Canada

Emergency

24 hour Emergency Telephone No. (519) 967-0020
Customer Service: SWT Group (519) 967-0020

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Aspiration hazard Category 1

2.2. Label elements:



Signal word: Danger

[Prevention]:

H304 May be fatal if swallowed and enters airways.

[Response]:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331 Do NOT induce vomiting.

[Storage]:

P405 Store locked up.

[Disposal]:

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

P501 Dispose of contents/container to an approved waste disposal plant

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated light paraffinic CAS Number: 00064742-55-8	100	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Move the victim to fresh air. If breathing is difficult give oxygen. If breathing has stopped give artificial respiration. Seek immediate medical attention.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	If hot material strikes the skin, immediately flush skin with plenty of water. Use warm water. Remove contaminated clothing and discard. If the irritation persists repeat the washing procedure. Seek medical attention.

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

Ingestion

Do not induce vomiting! If conscious give large quantities of water. Keep the victim warm and quiet. Seek immediate medical attention. Should vomiting occur, lean the victim over to reduce the risk of aspiration.

5. Fire-fighting measures

5.1. Extinguishing media

Carbon Dioxide, Dry Chemical, Foam. Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon, smoke and irritating vapors as products of incomplete combustion.

5.3. Advice for fire-fighters

Static accumulating liquid can become electrostatically charged even in bonded and grounded equipment. Treat as a highly flammable fuel oil fire. Wear self-contained breathing apparatus and complete protective clothing (full protective bunker turnout gear). Evacuate area and fight fire from a safe distance.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSION DATA:

- SENSITIVITY TO MECHANICAL IMPACT: Not Sensitive
- SENSITIVITY TO STATIC CHARGE: Sensitive

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Remove any sources of ignition and avoid prolonged breathing of vapor when performing any clean-up of spills. Ventilate the area. Absorb the spill by using an inert material (sand, earth, vermiculate, etc.). Transfer the absorbed material into a waste container.

Prevent the product or any wash waters from entering the water systems or sewers. Wear a NIOSH/OSHA approved organic vapor canister respirator. Wear protective clothing such as safety eyewear, overalls, impervious boots, and chemical resistant gloves.

7. Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

Always ground the containers when transferring or mixing.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a cool, dry, well-ventilated area. Keep away from direct sunlight, high heat, incompatible materials and any sources of ignition.

Storage above 55 C or 122 F may affect product quality.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

Contains no substances with occupational exposure limit values.

8.2. Exposure controls

Respiratory

Avoid breathing the vapor. Use an organic vapor mask under normal conditions and use a NIOSH/OSHA approved organic vapor canister respirator when exposure levels are exceeded.

Use adequate ventilation. Engineering: provide sufficient ventilation to control the exposure levels below limits.

Eyes

Wear anti-splash chemical goggles with side shields or wear a full face shield. Contact lenses should not be worn when working around organic solvents.

Skin

Skin contact should be minimized through the use of chemical-resistant gloves and boots, and suitable protective clothing.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Avoid repeated or prolonged contact with the skin. If rags are used with this product as a cleaning purpose, discard them into a water filled container after use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance

Viscous liquid. Clear and bright.

Odor

No odor or slight petroleum oil like.

Odor threshold

Not determined

pH

Not Measured

Pour point

-33 C (-27 °F)

Initial boiling point and boiling range

Not Measured

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

Flash Point	124 C, 255°F (PMCC)
Evaporation rate (Ether = 1)	<1.0
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	<1.0
Vapor Density	Not Available
Specific Gravity	0.845
Solubility in Water	Insoluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	3.4 cSt (40 C / 104 °F)
Percent Solids (by weight)	Not available
Percent Volatile (by weight)	Not available
Percent Solids (by volume)	Not available
Density (lbs/US gal)	Not available

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Sparks and open flames, high heat, and direct sunlight.

10.5. Incompatible materials

Avoid contact with strong oxidizers.

10.6. Hazardous decomposition products

Oxides of carbon and sulfur.

11. Toxicological information

Acute toxicity

Not available.

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

Classification	Category	Hazard Description
Acute toxicity (oral)	LD50 (Rat)	>5,000 mg/kg
Acute toxicity (dermal)	LD50 (Rabbit)	>2,000 mg/kg
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Mild skin irritation
Serious eye damage/irritation	---	Mild eye irritation
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	3082	3082
14.2. UN proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (kerosene – unspecified)	Environmentally hazardous substance, liquid, n.o.s. (kerosene – unspecified)
14.3. Transport hazard class(es)		9	9
14.4. Packing group		III	III
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	Not Regulated
US EPA Tier II Hazards	Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Safety Data Sheet

Super slip

SDS Revision Date:

04/02/2023

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways

The SWT Group has no control over the information provided herein, which is based on supplier and raw material supplier data. No warranty from The SWT Group is expressed or implied regarding the accuracy of this data or the results to be obtained from the use there of. The SWT Group assumes no responsibility for the personal injury or property damage of whatever nature caused directly or indirectly by the information contained herein, or by any improper use or abuse of the product.

End of Document